
Description:

"Diffusers of EDFLB-FL serie can be exclusively used for air extraction in environments that also have very large surfaces, but with relatively limited heights. They have a filter inside and the fixing is by magnets and they are used to extract the air from offices, open spaces, banks, large halls of hotels, business centers, shops, courts, etc.

They are built using extruded aluminium profiles to obtain an highly aerodynamic and aesthetically pleasing design, with standard lengths of 800-1000-1500- 2000 mm for a minimum of 3 and a maximum of 4 slots. The standard painting is RAL 9016 and, on request, they can be painted with other colours, with powders based on epoxy resins placed electrostatically and dried in the oven. This kind of painting is resistant to any impact and abrasion, and maintains its aesthetic characteristics over time. The fixing of the diffuser to the plenum is carried out using non-visible mounting bridges. The diffusers are provided with special tabs inside the fins pack that allow a "book opening" to replace the filter without dismantle the whole diffuser.






B

The second second

25

20 _____20 ____20 ____20 ____20



25

Charateristics:


Material: aluminum

Standard surface finish: White RAL 9016 painting

Fixing: by mounting bridges.

Installation height: from 2,5 to 3,1 m






Standard Lengths:

L (mm)	No. of slots
800	3÷4
1000	3÷4
1500	3÷4
2000	3÷4

Diffuser dimensions:

No. of slots	A mm	B mm	C mm
3	126	150	121
4	166	190	161

Plenum dimensions and mounting system with fixing bridges



Slots number	1	Plenum dimensions						
Siots Humber		L1	L2	Number of air cuts	Ød	Р	Н	E
	800	845	815	15 1			138	80
3 slots	1000	1045	1015	1	198	300		
	1500	1545	1515	2				
	2000	000 2045 2015 2	2					
	800	845	815	1				
4 slots	1000	1045	1015	1	198	300	178	80
	1500	1545	1515	2	196 500	500	176	80
	2000	2045	2015	2				

Operating data:



No. of slots Air s	A in an a sal m (a	Air flow rate m³/h				
	Air speed m/s	Length 800 mm	Length 1000 mm	Length 1500 mm	Length 2000 mm	
2	1,5	440	560	855	1150	
3	2	590	745	1140	1540	
4	1,5	600	760	1165	1570	
4	2	800	1015	1555	2095	

Price list

800 mm 1000 mm 1500 mm 2000 mm	N. slots	Euro					
3 ar ar ar ar	IN. SIDES	800 mm	1000 mm	1500 mm	2000 mm		
	3	a.r.	a.r.	a.r.	a.r.		
4 a.r. a.r. a.r. a.r.	4	a.r.	a.r.	a.r.	a.r.		

