


EAPI Inspection doors for square and circular ducts



Description

EAPI stainless steel access panels provide professional-grade solutions for the maintenance and inspection of ventilation systems.


Designed for both circular ducts (curved panels EAPIC) and rectangular ducts (flat panels EAPICQ), these inspection panels feature an innovative double-panel compression system that ensures a reliable and airtight seal while allowing easy access to the inside of the ductwork.

Use

These access panels provide essential access for the maintenance of rectangular and circular ducts, while preserving system integrity and energy efficiency in commercial HVAC installations.

Characteristics

- Material: galvanized steel / stainless steel AISI 304, thickness 1.5 mm;
- Gasket: EPDM;
- Stainless steel screws M8/M10 with compression springs.



Dimensions

A x B: opening size.
C x D: external dimension of the inspection door.

Models	A	B	C	D
	mm	mm	mm	mm
180x80	170	72	197	101
200x100	200	100	219	117
250x150	250	150	274	186
300x200	300	200	329	228
400x300	380	280	403	303
500x400	500	400	532	432
600x450	600	450	627	480

Price List

Inspection Access Panel for Rectangular Ducts			
Models	Galvanized	Inox AISI 304	Minimum Order in Multiples of:
	Eur	Eur	Number of Pieces for Box
180x80	11,85	103,05	10
200x100	14,45	-	10
250x150	17,10	124,74	5
300x200	26,28	157,25	5
400x300	39,46	341,65	5
500x400	84,85	379,57	5
600x450	106,92	-	5

Inspection Access Panel for Circular Ducts				
Models	Diameter	Galvanized	Inox AISI 304	Minimum Order in Multiples of:
	mm	Eur	Eur	Number of Pieces for Box
180x80	100	11,85	141,02	10
180x80	125	11,85	-	10
180x80	160	11,85	-	10
180x80	200	11,85	-	10
250x150	160	17,10	162,66	5
250x150	200	17,10	-	5
250x150	250	17,10	-	5
250x150	315	17,10	-	5
250x150	355	17,10	-	5
250x150	400	17,10	-	5
250x150	450	17,10	-	5
250x150	500	17,10	-	5
300x200	315	26,28	195,22	5
300x200	355	26,28	-	5
300x200	400	26,28	-	5
300x200	450	26,28	-	5
300x200	500	26,28	-	5
400x300	400	39,46	390,93	5
400x300	450	39,46	-	5
400x300	500	39,46	-	5
400x300	560	39,46	-	5
400x300	630	39,46	-	5
400x300	710	39,46	-	5
400x300	800	39,46	-	5
400x300	900	39,46	-	5
500x400	630	176,82	466,34	5
500x400	710	176,82	-	5
500x400	800	176,82	-	5
500x400	900	176,82	-	5

500x400	1000	176,82	-	5
500x400	1120	176,82	-	5
500x400	1250	176,82	-	5
600x450	710	197,79	-	5
600x450	800	197,79	-	5
600x450	900	197,79	-	5
600x450	1000	197,79	-	5
600x450	1120	197,79	-	5
600x450	1250	197,79	-	5
600x450	1400	197,79	-	5
600x450	1500	197,79	-	5