


EDQMQ Multi-nozzle Diffusers



Description

Multi-nozzle diffusers equipped with 360° adjustable deflector nozzles in square geometry.

Features

Material: panel in galvanised steel.

Nozzles: white ABS RAL 9016.

Finish: painted RAL 9016.

Installation on plenum box with lateral, non-visible screws or with mounting bridge inside plenum box and central screw on the diffuser.

Use

Multi-nozzle diffusers suitable for installation in rooms with a height between 2.5 and 4 m, both in heating and cooling mode.

Accessories


- EPZ-EDE - Galvanized steel plenum box with damper and mounting bridge;
- EPZ-EDE-EQ - Galvanized steel plenum box with damper, equalizer and mounting bridge;
- EPI-EDE - Insulated plenum box with damper and mounting bridge;
- EPI-EDE-EQ - Insulated plenum box with damper, equalizer and mounting bridge.

On request

Painting of panel only (not the white nozzles) in different RAL colours.

Diffuser Dimensions

All dimensions are expressed in mm.


Technical Drawing	Models	L	H	P
	400	395	395	200
	500	495	495	300
	600	595	595	400

Operating Data

- V_k : effective speed (m/s).
- m^3/h : flow rate.
- Pa: pressure drops in Pascal.
- L(m): air throw in metres referring to diffuser installed with Plenum + equaliser and open damper, terminal velocity 0.25 m/s.
- dB(A): noise level.

Models	Effective Section	V _k (m/s)	3	4	5	6	8	Nr. of Nozzles
	m ²							
400	0,0083	m ³ /h	90	120	150	180	240	36
		L(m)	1,1	1,5	1,9	2,3	3	
500	0,0148	m ³ /h	160	210	264	317	420	64
		L(m)	1,6	2,1	2,7	3,3	4	
600	0,0229	m ³ /h	248	330	413	495	660	100
		L(m)	2,1	2,7	3,4	4,1	5	
Noise Level		dB(A)	20	25	30	35	40	-
Pressure Drop		Pa	15	22	30	42	70	-

Plenum Box Dimensions



Plenum Box	Compatible Diffuser	Overall Dimensions L1 x H1 (mm)	Ø d	P1	P2	□ C	E
400	EDQMQ 400	392x392	198	200	300	360	50
500	EDQMQ 500	492x492	198	200	300	460	50
600	EDQMQ 600	592x592	248	200	350	560	50

Price List

Models	400	500	600
	Eur	Eur	Eur
EDQMQ	-	-	-

Price List for Plenum with Lateral Connection

Plenum with top connection, price on request

Models	Description	400	500	600
		Eur	Eur	Eur
EPZ-EDE	Galvanised plenum box with damper and mounting bridge	-	-	-
EPZ-EDE-EQ	Galvanised steel plenum box with damper, equalizer and mounting bridge	-	-	-
EPI-EDE	Insulated plenum box with damper and mounting bridge	-	-	-
EPI-EDE-EQ	Insulated plenum box with damper, equalizer and mounting bridge	-	-	-
	Screw and Cap	-		