


CU2-M CE-Certified Rectangular Refractory Fire Damper – Motorized Operation



Description

Rectangular fire dampers for large dimensions with fire resistance up to 120 minutes, CE marked with performance declared according to EN 15650:2010 and with fire resistance determined according to EN 1366-2 up to EI 120 (ve i ↔ o) S - (500Pa) and EI 120 (ho i ↔ o) S - (500Pa) depending on the installation surface. The dampers can be equipped with different types of mechanisms, depending on the specific needs of the project.

Characteristics

Structure made of refractory material. 45 mm thick refractory blade. Dimensions: from 200x200 to 1500x1000. Heat-expanding perimeter seal. Two microswitches (one start and one end switch) already installed. 30 mm connection flange. 400 mm case. Easy to install. Tested installation in series. Class B air tightness according to EN1751. Suitable for recessed installation in any direction 0/90/180/270°. Suitable for rigid wall, rigid floor and lightweight wall (plasterboard). Does not require maintenance. For indoor use. Intermediate dimensions on request. Operating temperature: max 50°C.

Use and Classification

- Rigid wall: EI 120 (ve i ↔ o) S - (500 Pa).
- Lightweight wall: EI 120 (ve i ↔ o) S - (500 Pa) (gypsum blocks).
- Lightweight wall: EI 120 (ve i ↔ o) S - (500 Pa) (plasterboard type F).
- Slab: EI 120 (ho i ↔ o) S - (500 Pa) aerated concrete.

Minimum Distance Principle

CU2 fire dampers can be installed with coupled flanges adjacent to a wall, ceiling or floor. This type of fire damper has been optimised to minimise the installation distance between two dampers and between the damper and the adjacent wall.

Standard Version

- With RFT electronic servomotor drive: code CU2 + ONE T - 24/230 V FDCU.
- With Belimo servomotor drive: code CU2 + BFLT / BFNT - 24 / 230 V.

Versions on Request

- With electromagnet drive normally energised or normally de-energised , code CU2 + UNIQ VD/VM FDCB.
- Mod. CU2/B version for installation in series.
- Mod. CU2L version with extended tunnel on one or both sides to contain the entire blade.
- Mod. CU4 damper with EI 240 resistance (ve i ↔ o) S - (500 Pa) for brick walls.
- Mod. CU2/15 damper with EI 120 resistance (ve i ↔ o) S and pressure (1500 Pa) for brick walls.

ONE RFT actuator characteristics

The microprocessor-controlled servomotor with spring return, ONE Rf-t, is designed to efficiently operate Rf-t fire dampers of any size. The main characteristics of the ONE Rf-t actuator are the following:



very low stand-by energy consumption (0.12 W) which allows for up to 5 times less energy consumption compared to conventional servomotors installed in fire dampers;

- the opening status of the fire damper is visible via an indicator located on the actuator; in addition to this, an LED indicates whether the device is powered;
- the main thermal activation device allows for operational tests to be performed even if there is no mains power supply;
- a further activation device is integrated in the actuator in order to detect a possible fire outside the duct;
- the fuse can be replaced quickly and easily. The fuse housing is located in the servomotor body and it can also be used as an inspection hole for an endoscopic camera;
- the damper can be reset manually using a common 9 Volt alkaline battery. Up to 50 reset cycles can be performed with a single battery;
- IP54 enclosure made of shock-resistant technical polymer;


- there is a pair of microswitches at the start and at the end. Both power and position cables are oversized and clearly identified;
- power supply 24 VAC/VDC (-10/+20%) or 230 VAC (-15/+15%).

Accessories

- F-ONE - 72°C Thermal Fuse for ONE RFT actuator.
- F-BEL - 72°C Z-BAT Thermal Fuse for Belimo actuators.



An < 300mm



An ≥ 300mm

Dimensions

x: blade coming out on servomotor side
y: blade coming out on wall side

An (mm)	300	350	400	450	500	550	600	650	700	750	800	850	900	950	1000
x (mm)						1	26	51	76	101	126	151	176	201	226
y (mm)	2	27	52	77	102	127	152	177	202	227	252	277	302	327	352

	An < 300mm (mm)			An ≥ 300mm (mm)		
	ONE	BFL(T)	E/RMEX(T)	ONE	BFL(T)	BFN(T)
P (mm)	104	96	118	104	96	100
Q (mm)	191	110	95	191	110	110
Z (mm)	47	47	72,5	147	180	180

Version with Motorised Control ONE RFT 24V - Price List

Ln: base (mm)													
An: altezza	200	250	300	350	400	450	500	550	600	650	700	750	800
mm	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur
200	621,63	628,09	634,57	641,04	647,57	654,04	660,49	667,04	673,51	679,95	686,43	692,97	699,40
250	628,66	635,61	642,45	649,43	656,36	663,29	670,21	677,15	684,16	691,07	698,00	704,97	729,21
300	635,61	642,98	650,34	657,78	665,12	672,55	679,95	687,38	694,75	702,15	726,92	734,30	741,74
350	642,53	650,44	658,29	666,07	673,96	681,83	689,71	697,56	722,75	730,67	738,40	746,27	754,20
400	649,50	657,87	666,10	674,50	682,78	691,07	716,77	725,10	733,36	741,74	750,01	758,35	766,64
450	656,51	665,30	674,06	682,82	691,59	717,72	726,54	735,24	744,01	752,80	761,56	770,35	779,08
500	663,53	672,65	681,97	691,15	717,77	726,96	736,25	755,62	754,61	763,92	773,15	782,37	808,90
550	670,40	680,11	689,81	699,50	726,58	736,25	745,89	755,62	765,27	774,96	784,65	811,75	821,39
600	677,44	687,53	697,70	725,23	735,36	745,48	755,62	765,75	775,96	786,13	813,56	823,67	833,83
650	684,39	695,03	705,67	733,54	744,12	754,73	765,37	775,96	786,56	814,50	825,10	835,67	846,33
700	691,35	702,41	730,84	741,88	752,97	764,06	775,08	786,19	814,54	825,65	836,73	847,69	858,77
750	698,36	709,86	738,77	750,22	761,78	773,31	784,87	813,69	825,18	836,73	848,27	859,79	888,59
800	705,39	734,65	746,65	758,65	770,54	782,57	811,90	823,85	835,85	847,88	859,79	889,10	901,04
850	712,38	742,08	754,48	766,98	779,33	791,82	821,56	834,05	846,42	858,90	871,31	901,13	913,50
900	719,31	749,48	762,44	775,36	788,22	818,44	831,32	844,25	857,11	869,93	900,26	913,09	926,03
950	726,29	756,97	770,30	783,62	797,06	827,74	841,05	854,40	867,82	898,49	911,78	925,12	938,53
1000	750,58	764,40	778,23	790,42	823,19	836,95	850,77	864,59	895,71	909,47	923,33	937,18	968,32

Version with Motorised Control ONE RFT 24V - Price List

Ln: base (mm)														
An: altezza	850	900	950	1000	1050	1100	1150	1200	1250	1300	1350	1400	1450	1500
mm	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur
200	705,87	712,44	718,89	742,73	749,15	755,72	762,16	768,62	775,08	781,63	788,11	794,59	801,05	807,58
250	736,18	743,11	750,01	757,03	763,99	770,91	777,85	784,74	791,71	798,63	805,53	812,55	819,51	826,43
300	749,12	756,51	763,92	771,30	778,72	786,13	793,53	800,90	808,29	815,69	840,44	847,88	855,24	862,62
350	762,03	769,91	777,78	785,66	793,49	801,30	826,52	834,40	842,26	850,11	857,86	865,79	873,67	881,48
400	774,96	783,30	791,61	817,23	825,56	833,83	842,18	850,53	858,86	867,14	875,49	883,74	965,11	917,70
450	787,88	814,00	822,78	831,57	840,27	849,11	857,82	861,76	875,38	884,21	910,31	919,05	927,86	936,66
500	818,16	827,35	836,66	845,86	855,10	864,32	873,52	900,17	909,32	918,57	927,80	937,08	946,31	955,53
550	831,10	840,79	850,49	860,16	869,79	896,79	906,48	916,27	925,91	935,57	945,34	955,01	964,66	985,20
600	844,01	854,15	864,32	891,80	901,86	912,06	922,25	932,37	942,50	952,70	980,14	990,22	1.011,84	1.034,29
650	856,95	867,47	895,48	906,08	916,74	927,32	937,87	948,55	976,45	987,06	997,67	1.019,55	1.042,35	1.066,09
700	869,79	898,27	909,32	920,43	931,44	942,50	970,93	981,96	993,09	1.004,04	1.026,20	1.049,22	1.073,19	1.098,09
750	900,17	911,64	923,18	934,72	946,19	975,04	986,60	998,09	1.009,60	1.031,94	1.055,20	1.079,43	1.104,57	1.130,79
800	913,04	925,05	936,97	966,32	978,34	990,22	1.002,27	1.014,27	1.036,85	1.060,31	1.084,65	1.110,03	1.136,44	1.163,99
850	926,00	938,32	968,20	980,61	993,09	1.005,52	1.017,92	1.040,60	1.064,24	1.088,80	1.114,29	1.140,92	1.168,50	1.197,29
900	939,04	969,11	982,02	994,93	1.007,82	1.020,70	1.043,56	1.067,24	1.091,90	1.117,63	1.144,28	1.172,07	1.200,91	1.230,89
950	969,18	982,52	995,84	994,68	1.022,59	1.045,47	1.069,32	1.094,03	1.119,82	1.146,58	1.174,43	1.203,45	1.233,53	1.264,89
1000	982,09	995,95	1.009,73	1.023,53	1.046,48	1.070,32	1.095,10	1.120,85	1.147,72	1.175,60	1.204,61	1.234,81	1.266,21	1.298,79

Version with Motorised Control ONE RFT 230V - Price List

Ln: base (mm)													
An: altezza	200	250	300	350	400	450	500	550	600	650	700	750	800
mm	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur
200	668,37	674,84	681,30	687,78	694,30	700,78	707,24	713,77	720,25	726,70	733,17	739,71	746,14
250	675,41	682,34	689,20	696,17	703,11	710,36	716,94	723,90	727,49	737,82	744,74	751,71	775,95
300	682,34	689,72	697,08	704,52	711,87	719,28	726,70	734,12	741,50	748,88	773,66	781,05	788,49
350	689,27	697,17	705,04	712,82	720,70	728,57	736,44	788,14	769,50	792,02	785,15	793,02	800,94
400	696,25	704,61	712,85	721,25	729,52	737,82	763,52	771,84	780,10	788,49	796,74	805,08	813,36
450	703,25	712,04	720,79	729,57	738,33	764,46	773,28	781,98	790,75	799,54	808,30	817,09	825,83
500	710,27	719,40	728,72	737,89	764,50	773,70	782,98	792,15	801,36	810,66	819,88	829,11	855,65
550	717,14	726,86	736,56	746,24	773,31	782,98	792,63	802,37	812,01	821,70	831,39	858,49	868,13
600	724,18	734,27	744,44	771,98	782,10	792,23	802,37	812,49	822,71	832,85	860,31	870,42	880,57
650	731,14	741,77	752,41	780,28	790,86	801,47	812,10	822,71	833,30	861,23	871,84	882,42	893,07
700	738,10	749,15	777,59	788,62	799,71	810,79	821,81	832,93	861,29	872,38	883,47	894,44	905,51
750	745,10	756,60	785,52	796,96	808,52	820,05	831,60	860,43	871,92	883,47	895,01	906,54	935,32
800	752,13	781,38	793,40	805,40	817,26	829,31	858,64	870,58	882,59	894,62	906,54	935,83	947,77
850	759,12	788,83	801,22	813,72	826,08	838,56	868,31	880,79	893,16	905,65	918,06	947,87	960,26
900	766,04	796,21	809,18	822,10	834,96	865,18	878,07	890,99	903,84	916,68	947,00	959,83	972,76
950	773,03	803,72	817,04	830,38	843,79	874,48	887,79	901,15	914,57	945,24	958,53	971,86	985,26
1000	797,32	811,14	824,98	838,80	869,93	883,69	897,51	911,33	942,45	956,21	970,08	983,91	1.015,06

Version with Motorised Control ONE RFT 230V - Price List

Ln: base (mm)														
An: altezza	850	900	950	1000	1050	1100	1150	1200	1250	1300	1350	1400	1450	1500
mm	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur
200	752,62	759,18	765,63	789,46	795,89	802,46	808,90	815,36	821,81	828,38	834,85	841,33	847,78	854,33
250	782,92	789,85	796,74	803,76	810,73	817,65	824,58	831,48	838,46	845,36	852,28	859,30	866,25	873,16
300	795,86	803,25	810,66	818,03	825,46	832,85	840,27	847,65	855,03	862,43	869,85	877,28	884,71	892,13
350	808,77	816,65	824,52	832,40	840,23	848,04	855,86	863,67	871,48	879,29	887,10	894,91	902,72	910,53
400	821,70	830,03	838,34	846,65	854,96	863,27	871,58	879,89	888,20	896,51	904,82	913,13	921,44	929,75
450	834,62	843,39	852,16	860,93	869,70	878,47	887,24	896,01	904,78	913,55	922,32	931,09	939,86	948,63
500	847,54	856,75	865,96	875,17	884,38	893,59	902,80	911,99	921,19	930,39	939,59	948,79	957,99	967,19
550	860,46	870,11	879,76	889,41	899,06	908,71	918,36	928,01	937,66	947,31	956,96	966,61	976,26	985,91
600	873,38	883,47	893,56	903,65	913,74	923,83	933,92	943,99	954,07	964,15	974,23	984,31	994,39	1.004,47
650	886,30	896,83	907,36	917,89	928,42	938,95	949,48	959,99	970,51	981,03	991,55	1.002,07	1.012,59	1.023,11
700	899,22	910,19	921,16	932,13	943,10	954,07	965,04	976,01	986,98	997,95	1.008,92	1.019,89	1.030,86	1.041,83
750	912,14	923,55	934,96	946,37	957,78	969,19	980,60	992,01	1.003,42	1.014,83	1.026,24	1.037,65	1.049,06	1.060,47
800	925,06	936,91	948,76	960,61	972,46	984,31	996,16	1.008,01	1.019,86	1.031,71	1.043,56	1.055,41	1.067,26	1.079,11
850	937,98	950,27	962,56	974,85	987,14	999,43	1.011,72	1.024,01	1.036,30	1.048,59	1.060,88	1.073,17	1.085,46	1.097,75
900	950,90	963,63	976,36	989,09	1.001,82	1.014,55	1.027,28	1.040,01	1.052,74	1.065,47	1.078,20	1.090,93	1.103,66	1.116,39
950	963,82	977,00	990,18	1.003,36	1.016,54	1.029,72	1.042,89	1.056,07	1.069,25	1.082,43	1.095,61	1.108,79	1.121,97	1.135,15
1000	976,74	990,36	1.003,98	1.017,60	1.031,22	1.044,84	1.058,46	1.072,08	1.085,70	1.099,32	1.112,94	1.126,56	1.140,18	1.153,80

Version with Motorised Control Belimo 24V - Price List

Ln: base (mm)													
An: altezza	200	250	300	350	400	450	500	550	600	650	700	750	800
mm	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur
200	679,47	686,22	693,00	699,80	706,60	713,38	720,14	726,97	733,76	740,49	747,26	754,10	760,83
250	686,83	694,09	701,25	708,55	715,81	723,06	730,29	737,57	744,88	752,12	759,39	766,65	792,02
300	694,09	701,80	709,51	717,29	724,97	732,72	740,49	748,26	755,98	763,70	789,62	797,35	805,14
350	701,33	709,59	717,83	725,98	718,93	742,46	750,69	758,91	785,26	793,55	801,65	809,88	818,17
400	708,64	717,39	725,99	734,77	743,44	752,12	779,01	787,70	796,36	805,14	813,78	822,50	831,16
450	715,96	725,15	734,31	743,50	752,66	780,00	789,25	798,35	807,52	816,70	825,86	835,06	922,17
500	723,30	732,87	742,60	752,20	780,05	789,67	799,39	808,96	818,60	828,33	837,97	925,60	953,38
550	730,50	740,66	750,81	760,95	789,28	799,39	809,45	819,64	829,74	840,73	928,00	956,35	966,43
600	737,87	748,42	759,05	787,86	798,46	809,05	819,64	830,34	840,94	929,53	958,26	968,83	979,45
650	745,14	756,27	767,37	796,54	807,62	818,72	829,85	840,94	922,02	959,24	970,31	981,38	992,53
700	752,40	763,96	793,73	805,28	816,88	828,46	840,00	929,59	959,28	970,89	982,50	993,98	1.005,57
750	759,74	771,78	802,02	814,01	826,09	838,18	928,21	958,40	970,39	982,50	994,56	1.006,62	1.036,74
800	767,10	797,71	810,26	822,83	835,23	925,83	956,52	969,01	981,58	994,15	1.006,62	1.037,28	1.049,77
850	774,42	805,49	818,46	831,55	922,45	935,51	966,64	979,68	992,63	1.005,68	1.018,66	1.049,85	1.062,82
900	781,64	813,24	826,79	918,29	931,74	963,37	976,84	990,36	1.003,81	1.007,02	1.048,95	1.062,38	1.075,92
950	788,96	821,06	913,00	926,93	941,00	973,08	987,01	1.000,97	1.015,02	1.047,09	1.061,03	1.074,95	1.088,98
1000	814,38	906,82	921,29	935,74	968,32	982,71	997,19	1.011,64	1.044,20	1.058,61	1.073,08	1.087,59	1.120,16

Version with Motorised Control Belimo 24V - Price List

Ln: base (mm)														
An: altezza	850	900	950	1000	1050	1100	1150	1200	1250	1300	1350	1400	1450	1500
mm	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur
200	767,60	774,48	781,22	806,16	890,69	897,72	904,48	911,22	917,98	924,84	931,61	938,40	945,16	951,98
250	799,30	806,56	813,78	899,09	906,40	913,64	920,87	927,60	935,40	942,62	949,85	957,20	964,48	971,69
300	828,12	820,58	906,32	914,01	921,81	929,53	937,30	945,03	952,71	960,48	986,38	994,15	1.001,86	1.009,58
350	826,35	912,57	920,81	929,04	937,23	945,42	971,79	980,04	988,28	996,50	1.004,61	1.012,89	1.021,14	1.029,38
400	917,86	926,59	935,28	962,09	970,83	979,45	988,20	996,92	1.005,65	1.014,30	1.023,06	1.031,66	1.040,36	1.067,28
450	931,38	958,71	967,89	977,08	986,20	995,43	1.004,56	1.013,78	1.022,94	1.032,16	1.059,47	1.068,63	1.077,81	1.087,08
500	963,05	972,68	982,43	992,04	1.001,70	1.011,38	1.020,98	1.048,86	1.058,45	1.068,11	1.077,76	1.087,50	1.097,13	1.106,78
550	976,60	986,72	996,87	1.006,99	1.017,10	1.045,36	1.055,45	1.065,71	1.075,78	1.085,91	1.096,11	1.106,23	1.116,34	1.137,88
600	990,10	1.000,72	1.011,38	1.040,10	1.050,62	1.061,31	1.071,96	1.082,56	1.093,14	1.103,82	1.132,53	1.143,07	1.165,68	1.189,18
650	1.003,63	1.014,67	1.043,95	1.055,05	1.066,18	1.077,26	1.088,32	1.099,47	1.128,65	1.139,79	1.150,87	1.173,78	1.197,61	1.222,38
700	1.017,22	1.046,90	1.058,45	1.070,07	1.081,58	1.093,14	1.122,90	1.134,43	1.146,08	1.157,53	1.180,71	1.204,79	1.229,86	1.255,98
750	1.048,86	1.060,85	1.072,92	1.085,02	1.097,01	1.127,20	1.139,29	1.151,32	1.163,33	1.186,72	1.211,08	1.236,40	1.262,71	1.290,08
800	1.062,33	1.074,88	1.087,35	1.118,07	1.130,65	1.143,07	1.155,68	1.168,22	1.191,84	1.216,39	1.241,86	1.268,43	1.296,05	1.324,78
850	1.075,89	1.088,78	1.120,04	1.133,02	1.146,08	1.159,09	1.172,07	1.195,79	1.220,50	1.246,19	1.272,87	1.300,73	1.329,61	1.359,68
900	1.089,43	1.121,00	1.134,49	1.148,01	1.161,49	1.157,97	1.198,88	1.223,65	1.249,46	1.276,37	1.304,25	1.333,32	1.363,52	1.394,88
950	1.121,06	1.135,01	1.148,97	1.163,02	1.176,93	1.200,88	1.225,82	1.251,68	1.278,66	1.306,64	1.335,81	1.366,15	1.397,64	1.430,38
1000	1.134,58	1.149,05	1.163,46	1.177,94	1.201,95	1.226,89	1.252,80	1.279,75	1.307,86	1.337,03	1.367,41	1.398,97	1.431,80	1.465,98

Version with Motorised Control Belimo 230V - Price List

Ln: base (mm)													
An: altezza	200	250	300	350	400	450	500	550	600	650	700	750	800
mm	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur
200	731,42	738,17	744,94	751,71	758,52	765,32	772,08	778,91	785,69	792,42	799,20	806,04	812,77
250	738,76	746,01	753,21	760,49	767,75	775,00	782,23	789,51	796,83	804,04	811,30	818,60	843,96
300	746,01	753,75	761,47	769,22	776,93	784,68	792,42	800,21	807,91	815,64	841,58	849,30	857,05
350	753,29	761,54	769,77	777,91	786,16	794,39	802,63	810,86	837,19	845,47	853,58	861,82	870,12
400	760,57	769,33	777,94	786,73	795,40	804,04	830,95	839,64	848,32	857,05	865,72	874,42	883,12
450	767,89	777,11	786,25	795,45	804,60	831,96	841,17	850,26	859,45	868,64	877,79	887,02	987,13
500	775,24	784,79	794,54	804,16	832,00	841,62	851,30	860,91	870,54	880,28	889,92	990,57	1.018,34
550	782,43	792,60	802,77	812,88	841,20	851,30	861,41	871,59	881,70	891,82	992,94	1.021,31	1.031,40
600	789,80	800,35	811,01	839,80	850,40	860,98	871,59	882,19	892,88	994,48	1.023,20	1.033,80	1.044,41
650	797,08	808,20	819,33	848,46	859,54	870,66	881,78	892,88	994,96	1.024,18	1.035,26	1.046,34	1.057,47
700	804,36	815,92	845,69	857,23	868,84	880,42	891,96	994,55	1.024,23	1.035,85	1.047,45	1.058,93	1.070,51
750	811,70	823,72	853,96	865,96	878,03	890,10	993,18	1.023,34	1.035,36	1.047,45	1.059,52	1.071,55	1.101,71
800	819,05	849,65	862,20	874,79	887,19	990,78	1.021,47	1.033,96	1.046,52	1.059,09	1.071,55	1.102,21	1.114,72
850	826,33	857,43	870,38	883,47	987,40	1.000,46	1.031,58	1.044,65	1.057,59	1.070,63	1.083,63	1.114,81	1.127,77
900	833,60	865,17	878,73	983,24	996,69	1.028,32	1.041,78	1.055,31	1.068,77	1.082,18	1.113,91	1.127,33	1.140,86
950	840,92	873,01	977,93	991,89	1.005,95	1.038,04	1.051,96	1.065,92	1.079,97	1.112,04	1.125,97	1.139,92	1.153,94
1000	866,32	971,78	986,24	1.000,71	1.033,28	1.047,65	1.062,13	1.076,60	1.109,17	1.123,56	1.138,05	1.152,53	1.185,10

Version with Motorised Control Belimo 230V - Price List

Ln: base (mm)														
An: altezza	850	900	950	1000	1050	1100	1150	1200	1250	1300	1350	1400	1450	1500
mm	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur	Eur
200	819,54	826,40	833,15	858,09	955,82	962,69	969,44	976,18	982,94	989,81	996,58	1.003,35	1.010,11	1.016,90
250	851,24	858,52	865,72	964,06	971,35	978,58	985,84	993,08	1.000,33	1.007,58	1.014,82	1.022,15	1.029,41	1.036,66
300	864,79	872,52	971,27	978,98	986,75	994,48	1.002,25	1.009,99	1.017,67	1.025,43	1.051,33	1.059,09	1.066,81	1.074,55
350	878,31	977,54	985,77	994,01	1.002,20	1.010,36	1.036,74	1.044,99	1.053,22	1.061,43	1.069,56	1.077,85	1.086,11	1.094,29
400	982,82	991,55	1.000,22	1.027,06	1.035,78	1.044,41	1.053,15	1.061,89	1.070,60	1.079,27	1.088,00	1.096,63	1.105,31	1.132,10
450	996,32	1.023,66	1.032,84	1.042,05	1.051,15	1.060,39	1.069,50	1.078,74	1.087,88	1.097,12	1.124,42	1.133,57	1.142,76	1.151,90
500	1.028,02	1.037,62	1.047,38	1.057,00	1.066,64	1.076,32	1.085,94	1.113,80	1.123,40	1.133,08	1.142,71	1.152,43	1.162,09	1.171,70
550	1.041,55	1.051,67	1.061,84	1.071,96	1.082,05	1.110,28	1.120,41	1.130,66	1.140,74	1.150,85	1.161,06	1.171,20	1.181,30	1.202,70
600	1.055,05	1.065,68	1.076,32	1.105,05	1.115,57	1.126,26	1.136,90	1.147,50	1.158,11	1.168,77	1.197,48	1.208,02	1.230,62	1.254,10
650	1.068,60	1.079,61	1.108,89	1.120,01	1.131,14	1.142,21	1.153,26	1.164,42	1.193,62	1.204,73	1.215,82	1.238,71	1.262,56	1.287,30
700	1.082,05	1.111,83	1.123,40	1.135,04	1.146,55	1.158,11	1.187,85	1.199,38	1.211,03	1.222,47	1.245,65	1.269,75	1.294,83	1.320,80
750	1.113,80	1.125,82	1.137,87	1.149,98	1.161,95	1.192,17	1.204,23	1.216,26	1.228,28	1.251,68	1.276,02	1.301,36	1.327,64	1.354,90
800	1.127,28	1.139,86	1.152,32	1.183,02	1.195,59	1.208,02	1.220,63	1.233,17	1.256,81	1.281,34	1.306,80	1.333,38	1.361,00	1.389,70
850	1.140,83	1.153,71	1.184,98	1.197,97	1.211,03	1.224,05	1.237,03	1.260,76	1.285,45	1.311,14	1.337,84	1.365,68	1.394,57	1.424,60
900	1.154,38	1.185,94	1.199,44	1.212,95	1.226,43	1.239,90	1.263,82	1.288,60	1.314,40	1.341,33	1.369,20	1.398,29	1.428,45	1.459,80
950	1.186,02	1.199,95	1.213,92	1.227,96	1.241,90	1.265,83	1.290,79	1.316,63	1.343,63	1.371,59	1.400,78	1.431,08	1.462,58	1.495,30
1000	1.199,55	1.214,00	1.228,43	1.242,87	1.266,90	1.291,83	1.317,75	1.344,69	1.372,83	1.401,99	1.432,32	1.463,94	1.496,76	1.530,80

Spare Fuses

Description		Eur
	F-ONE - 72°C Thermal Fuse for ONE RFT actuator	72,38
	F-BEL - 72°C Z-BAT Thermal Fuse for Belimo actuators	72,38