

ETF10 Flexible ducts for air conditioning



Description

Light flexible ecological hoses made of addivated polyolefin resin film and with steel wire helix.

Characteristics

Colour: black.

Diameters range: from 80 to 610 mm.

Temperature range: from -20°C to +90°C (peaks of 110°C).

Radius : 0,6 x diameter.

Air velocity : up to 20 m / s.

Pressure : up to 2000 Pa.

Size

Standard 10 meters.

Use

- Air conditioning.
- Mechanical ventilation.
- Connection between grilles and diffusers.

Reaction to fire

- IT Class: Class 1 (D.M. 26/06/84).
- EU Class: Class B-s1, d0 (EN 13501-1:2018).
- FR Class: Class M1 (NF P 92-503/505) 2005.

Notes

ø from 457 onwards , the tube is encoded as AC BLACK.

[illegible]

16000													23	13	5,2
18000													30	17	6,6
20000														21	8,2
22000															9,9
24000															11
26000															13
28000															16
30000															18

Price List

ø Interno	ETF10	ø Interno	ETF10	ø Interno	ETF10
	€		€		€
80	-	203	-	457	-
102	-	254	-	508	-
127	-	305	-	610	-
152	-	318	-		
160	-	356	-		
180	-	406	-		