

ETF10 Flexible ducts for air conditioning



Description

Light flexible ecological hoses made of addivated polyolefin resin film and with steel wire helix.

Characteristics

Colour: black.

Diameters range: from 80 to 610 mm.

Temperature range: from -20°C to +90°C (peaks of 110°C).

Radius : 0,6 x diameter.

Air velocity : up to 20 m / s.

Pressure : up to 2000 Pa.

Size

Standard 10 meters.

Use

- Air conditioning.
- Mechanical ventilation.
- Connection between grilles and diffusers.

Reaction to fire

- IT Class: Class 1 (D.M. 26/06/84).
- EU Class: Class B-s1, d0 (EN 13501-1:2018).
- FR Class: Class M1 (NF P 92-503/505) 2005.

Notes

ø from 457 onwards , the tube is encoded as AC BLACK.

[illegible]

16000													23	13	5,2
18000													30	17	6,6
20000														21	8,2
22000															9,9
24000															11
26000															13
28000															16
30000															18

Price List

ø Interno	ETF10	ø Interno	ETF10	ø Interno	ETF10
	€		€		€
80	3,33	203	6,24	457	25,71
102	3,37	254	8,03	508	28,25
127	4,16	305	10,07	610	32,91
152	4,66	318	10,44		
160	4,83	356	11,69		
180	5,37	406	14,81		