

# ETF10 Flexible ducts for air conditioning

---



## Description

Light flexible ecological hoses made of addivated polyolefin resin film and with steel wire helix.

## Characteristics

Colour: black.

Diameters range: from 80 to 610 mm.

Temperature range: from -20°C to +90°C (peaks of 110°C).

Radius : 0,6 x diameter.

Air velocity : up to 20 m / s.

Pressure : up to 2000 Pa.

## Size

Standard 10 meters.

## Use

- Air conditioning.
- Mechanical ventilation.
- Connection between grilles and diffusers.

## Reaction to fire

- IT Class: Class 1 (D.M. 26/06/84).
- EU Class: Class B-s1, d0 (EN 13501-1:2018).
- FR Class: Class M1 (NF P 92-503/505) 2005.

## Notes

ø from 457 onwards , the tube is encoded as AC BLACK.

[illegible]

|       |  |  |  |  |  |  |  |  |  |  |  |  |    |    |     |
|-------|--|--|--|--|--|--|--|--|--|--|--|--|----|----|-----|
| 16000 |  |  |  |  |  |  |  |  |  |  |  |  | 23 | 13 | 5,2 |
| 18000 |  |  |  |  |  |  |  |  |  |  |  |  | 30 | 17 | 6,6 |
| 20000 |  |  |  |  |  |  |  |  |  |  |  |  |    | 21 | 8,2 |
| 22000 |  |  |  |  |  |  |  |  |  |  |  |  |    |    | 9,9 |
| 24000 |  |  |  |  |  |  |  |  |  |  |  |  |    |    | 11  |
| 26000 |  |  |  |  |  |  |  |  |  |  |  |  |    |    | 13  |
| 28000 |  |  |  |  |  |  |  |  |  |  |  |  |    |    | 16  |
| 30000 |  |  |  |  |  |  |  |  |  |  |  |  |    |    | 18  |

## Price List

| ø Interno | ETF10 | ø Interno | ETF10 | ø Interno | ETF10 |
|-----------|-------|-----------|-------|-----------|-------|
|           | Eur   |           | Eur   |           | Eur   |
| 80        | -     | 203       | -     | 457       | -     |
| 102       | -     | 254       | -     | 508       | -     |
| 127       | -     | 305       | -     | 610       | -     |
| 152       | -     | 318       | -     |           |       |
| 160       | -     | 356       | -     |           |       |
| 180       | -     | 406       | -     |           |       |