

ETF10 Flexible ducts for air conditioning



Description

Light flexible ecological hoses made of addivated polyolefin resin film and with steel wire helix.

Characteristics

Colour: black.

Diameters range: from 80 to 610 mm.

Temperature range: from -20°C to +90°C (peaks of 110°C).

Radius : 0,6 x diameter.

Air velocity : up to 20 m / s.

Pressure : up to 2000 Pa.

Size

Standard 10 meters.

Use

- Air conditioning.
- Mechanical ventilation.
- Connection between grilles and diffusers.

Reaction to fire

- IT Class: Class 1 (D.M. 26/06/84).
- EU Class: Class B-s1, d0 (EN 13501-1:2018).
- FR Class: Class M1 (NF P 92-503/505) 2005.

Notes

ø from 457 onwards , the tube is encoded as AC BLACK.

[illegible]

16000													23	13	5,2
18000													30	17	6,6
20000														21	8,2
22000															9,9
24000															11
26000															13
28000															16
30000															18

Price List

ø Interno	ETF10	ø Interno	ETF10	ø Interno	ETF10
	Eur		Eur		Eur
80	3,33	203	6,24	457	25,71
102	3,37	254	8,03	508	28,25
127	4,16	305	10,07	610	32,91
152	4,66	318	10,44		
160	4,83	356	11,69		
180	5,37	406	14,81		