

EAG Return grille



Description

Return aluminium grille, white painted RAL 9016 can be installed on EPL or EPP plenum with 1, 2 or 3 connections for the tube HTPE PLUS 63 (internal diameter 63 mm and external 75 mm).

Models

- EAG-1212 dimensions 120x120 mm;
- EAG-312 dimensions 300x120 mm;
- EAG-412 dimensions 400x120 mm.

Accessories

- EAFI – Polyester media filter, G2 efficiency class.
- EPL – Galvanized steel plenum with side outlet(s).
- EPP – Galvanized steel plenum with rear outlet(s).

Pressure Drops

	EAG-1212	EAFI-1212
Flow Rate (m ³ /h)	Pa	Pa
10	10	6
15	10	8
20	10	10
25	12	12
30	15	15
35	19	18
40	25	21
45	35	25

	EAG-312	EAFI-312
Flow Rate (m ³ /h)	Pa	Pa
40	10	8
45	10	9
50	10	10
55	10	11
60	11	12
65	12	13
70	13,5	14
75	15	15
80	17	16
85	19	17
90	21	18

	EAG-412	EAFI-412
Flow Rate (m ³ /h)	Pa	Pa
60	6	8
70	7	10
80	8	12
90	9	14
100	10	16
120	13	17
140	16	18

Price List

EAFI - Polyester media filter, G2 efficiency class.

Models	Nominal Dimensions	Maximum Air flow	EAG	EAFI - Filter
		m ³ /h	Eur	Eur
EAG-1212	120 x 120	45	36,59	43,16
EAG-312	300 x 120	80	43,48	45,86
EAG-412	400 x 120	140	49,74	46,49

Galvanized Plenum Box

Galvanized steel plenum for EAGF, EAG, and EAL grilles.

Models	Nominal Dimensions	EPL	EPP
		Eur	Eur
EPL/P-1263	125x125x85 con 1 attacco	79,83	118,11
EPL/P-263	305x125x85 con 2 attacchi	98,46	121,67
EPL/P-363	405x125x85 con 3 attacchi	103,31	145,90