

EAL Grille with horizontal fixed bars



Description

Aluminium grille with horizontal fixed bars, white painted RAL 9016 can be installed on EPL EPP plenum with 1, 2 or 3 connections for the tube HTPE PLUS 63 (internal diameter 63 mm and external 75 mm).

Models

- EAL-1212 dimensions 120x120 mm;
- EAL-312 dimensions 300x120 mm;
- EAL-412 dimensions 400x120 mm.

Accessories

- EAFI - Polyester media filter, G2 efficiency class.
- EPL - Galvanized steel plenum with side outlet(s).
- EPP - Galvanized steel plenum with rear outlet(s).

Pressure Drops

	EAL-212	EAFI-1212
Flow Rate (m ³ /h)	Pa	Pa
10	10	6
15	10	8
20	10	10
25	12	12
30	15	15
35	19	18
40	25	21
45	35	25

	EAL 312	EAFI 312
Flow Rate (m ³ /h)	Pa	Pa
40	10	8
45	10	9
50	10	10
55	10	11
60	11	12
65	12	13
70	13,5	14
75	15	15
80	17	16
85	19	17
90	21	18

	EAL-412	EAFI-412
Flow Rate (m ³ /h)	Pa	Pa
60	6	8
70	7	10
80	8	12
90	9	14
100	10	16
120	13	17
140	16	18

Price List

Polyester filter
efficiency G2.

Models	Nominal Dimensions	Maximum Air flow	EAL	EAFI - Filter
		m ³ /h	Eur	Eur
EAL-1212	120 x 120	60	32,09	43,16
EAL-312	300 x 120	100	38,06	45,86
EAL-412	400 x 120	140	57,31	46,49

Galvanized Plenum Box

Galvanized plenum box for EAGF, EAG, EAL grilles.

Models	Nominal Dimensions	EPL	EPP
		Eur	Eur
EPL/P-1263	125x125x85 con 1 attacco	79,83	118,11
EPL/P-263	305x125x85 con 2 attacchi	98,46	121,67
EPL/P-363	405x125x85 con 3 attacchi	103,31	145,90